


“S” SERIES

PHONE: 516.328.3300 • FAX: 516.326.8827 • WWW.SDP-SI.COM

> MATERIAL:

Oil-Impregnated Bronze, Self-Lubricating



INCH COMPONENT

Catalog Number	I.D. +.000 -.001	O.D. +.000 -.001	L* Length		
A 7B 4-SP121803	.378	.565	3/8		
A 7B 4-SP121804			1/2		
A 7B 4-SP121805			5/8		
A 7B 4-SP121806			3/4		
A 7B 4-SP121807			7/8		
A 7B 4-SP121808			1		
A 7B 4-SP121810		1-1/4			
A 7B 4-SP122003		.628	.565	3/8	
A 7B 4-SP122004				1/2	
A 7B 4-SP122005			5/8		
A 7B 4-SP122006			3/4		
A 7B 4-SP122007			7/8		
A 7B 4-SP122008			1		
A 7B 4-SP122010			1-1/4		
A 7B 4-SP122012			1-1/2		
A 7B 4-SP122403			.753	.628	3/8
A 7B 4-SP122404	1/2				
A 7B 4-SP122406	3/4				
A 7B 4-SP122408	1				
A 7B 4-SP122410	1-1/4				
A 7B 4-SP141803	.440	.565			3/8
A 7B 4-SP141804					1/2
A 7B 4-SP141805					5/8
A 7B 4-SP141806			3/4		
A 7B 4-SP141807			7/8		
A 7B 4-SP141808			1		
A 7B 4-SP141810		1-1/4			
A 7B 4-SP142003		.628	.565	3/8	
A 7B 4-SP142004				1/2	
A 7B 4-SP142005			5/8		
A 7B 4-SP142006			3/4		
A 7B 4-SP142007			7/8		
A 7B 4-SP142008			1		
A 7B 4-SP142010			1-1/4		
A 7B 4-SP142012			1-1/2		
A 7B 4-SP142204			.4395	.6905	1/2
A 7B 4-SP142208	1				
A 7B 4-SP142212	1-1/2				
A 7B 4-SP162003	.502	.628			3/8
A 7B 4-SP162004					1/2
A 7B 4-SP162005					5/8
A 7B 4-SP162006					7/8

Catalog Number	I.D. +.000 -.001	O.D. +.000 -.001	L* Length			
A 7B 4-SP162006	.502	.628	3/4			
A 7B 4-SP162007			7/8			
A 7B 4-SP162008			1			
A 7B 4-SP162009			1-1/8			
A 7B 4-SP162010			1-1/4			
A 7B 4-SP162012			1-1/2			
A 7B 4-SP162204			.690	.502	1/2	
A 7B 4-SP162205					5/8	
A 7B 4-SP162206		3/4				
A 7B 4-SP162207		7/8				
A 7B 4-SP162208		1				
A 7B 4-SP162209		1-1/8				
A 7B 4-SP162210		1-1/4				
A 7B 4-SP162212		1-1/2				
A 7B 4-SP162403		.753			.503	3/8
A 7B 4-SP162404						1/2
A 7B 4-SP162405	5/8					
A 7B 4-SP162406	3/4					
A 7B 4-SP162407	7/8					
A 7B 4-SP162408	1					
A 7B 4-SP162409	1-1/8					
A 7B 4-SP162410	1-1/4					
A 7B 4-SP162412	1-1/2					
A 7B 4-SP162414	.815		.503	1-3/4		
A 7B 4-SP162416				2		
A 7B 4-SP162604				1/2		
A 7B 4-SP162606				3/4		
A 7B 4-SP162608				1		
A 7B 4-SP162612				1-1/2		
A 7B 4-SP162804				.878	.503	1/2
A 7B 4-SP162805		5/8				
A 7B 4-SP162806		3/4				
A 7B 4-SP162807		7/8				
A 7B 4-SP162808	1					
A 7B 4-SP162810	1-1/4					
A 7B 4-SP162812	1-1/2					
A 7B 4-SP163206	1.004	.503	3/4			
A 7B 4-SP163208			1			
A 7B 4-SP163212			1-1/2			
A 7B 4-SP163216			2			

Continued on the next page


* Length Tolerance: up to & including 1-1/2" is ± .0050
over 1-1/2" is ± .0075

“S” SERIES

PHONE: 516.328.3300 • FAX: 516.326.8827 • WWW.SDP-SI.COM

> MATERIAL:

Oil-Impregnated Bronze, Self-Lubricating



INCH COMPONENT

Catalog Number	I.D. +.000 -.001	O.D. +.000 -.001	L* Length		
A 7B 4-SP182204	.565	.690	1/2		
A 7B 4-SP182206			3/4		
A 7B 4-SP182208			1		
A 7B 4-SP182210			1-1/4		
A 7B 4-SP182212		1-1/2			
A 7B 4-SP182404		.753	.815	1/2	
A 7B 4-SP182406				3/4	
A 7B 4-SP182408				1	
A 7B 4-SP182410				1-1/4	
A 7B 4-SP182412			1-1/2		
A 7B 4-SP182604			.815	.815	1/2
A 7B 4-SP182606					3/4
A 7B 4-SP182608					1
A 7B 4-SP182610		1-1/4			
A 7B 4-SP182612		1-1/2			
A 7B 4-SP202404		.628		.753	1/2
A 7B 4-SP202406	3/4				
A 7B 4-SP202407	7/8				
A 7B 4-SP202408	1				
A 7B 4-SP202409	1-1/8				
A 7B 4-SP202410	1-1/4				
A 7B 4-SP202412	1-1/2				
A 7B 4-SP202604	.815		.815		1/2
A 7B 4-SP202605				5/8	
A 7B 4-SP202606				3/4	
A 7B 4-SP202607				7/8	
A 7B 4-SP202608			1		
A 7B 4-SP202610			1-1/4		
A 7B 4-SP202612			1-1/2		
A 7B 4-SP202614			1-3/4		
A 7B 4-SP202804	.878		.878	1/2	
A 7B 4-SP202805				5/8	
A 7B 4-SP202806				3/4	
A 7B 4-SP202807				7/8	
A 7B 4-SP202808				1	
A 7B 4-SP202809				1-1/8	
A 7B 4-SP202810				1-1/4	
A 7B 4-SP202812				1-1/2	
A 7B 4-SP202814			1-3/4		
A 7B 4-SP202816		2			

Catalog Number	I.D. +.000 -.001	O.D. +.000 -.001	L* Length		
A 7B 4-SP203005	.628	.941	5/8		
A 7B 4-SP203006			3/4		
A 7B 4-SP203008			1		
A 7B 4-SP203204			1/2		
A 7B 4-SP203205		5/8			
A 7B 4-SP203206		1.003	.878	3/4	
A 7B 4-SP203207				7/8	
A 7B 4-SP203208				1	
A 7B 4-SP203210				1-1/4	
A 7B 4-SP203212			1-1/2		
A 7B 4-SP203214			1-3/4		
A 7B 4-SP203216			2		
A 7B 4-SP222806			.690	.878	3/4
A 7B 4-SP222808		1			
A 7B 4-SP222810		1-1/4			
A 7B 4-SP222812		1-1/2			
A 7B 4-SP222814	1-3/4				
A 7B 4-SP222816	2				
A 7B 4-SP242804	.753	.878			1/2
A 7B 4-SP242805					5/8
A 7B 4-SP242806				3/4	
A 7B 4-SP242807				7/8	
A 7B 4-SP242808		.941		.878	1
A 7B 4-SP242809					1-1/8
A 7B 4-SP242810					1-1/4
A 7B 4-SP242812					1-1/2
A 7B 4-SP242813	1-5/8				
A 7B 4-SP243004	.941			.878	1/2
A 7B 4-SP243005			5/8		
A 7B 4-SP243006			3/4		
A 7B 4-SP243007		7/8			
A 7B 4-SP243008		1			
A 7B 4-SP243010		1-1/8			
A 7B 4-SP243012		1-1/4			
A 7B 4-SP243016		1-1/2			
A 7B 4-SP243018	1-5/8				
A 7B 4-SP243014	1-3/4				
A 7B 4-SP243015	1-7/8				
A 7B 4-SP243016	2				

* Length Tolerance: up to & including 1-1/2" is ± .0050
over 1-1/2" is ± .0075

Continued from the previous page
and continued on the next page




“S” SERIES

PHONE: 516.328.3300 • FAX: 516.326.8827 • WWW.SDP-SI.COM

► MATERIAL:

Oil-Impregnated Bronze, Self-Lubricating



INCH COMPONENT

Catalog Number	I.D. +.000 -.001	O.D. +.000 -.001	L* Length	
A 7B 4-SP243204	.753	1.003	1/2	
A 7B 4-SP243205			5/8	
A 7B 4-SP243206			3/4	
A 7B 4-SP243207			7/8	
A 7B 4-SP243208			1	
A 7B 4-SP243209			1-1/8	
A 7B 4-SP243210			1-1/4	
A 7B 4-SP243212			1-1/2	
A 7B 4-SP243214			1-3/4	
A 7B 4-SP243216			2	
A 7B 4-SP243220		2-1/2		
A 7B 4-SP243604		1/2		
A 7B 4-SP243606		3/4		
A 7B 4-SP243608		1		
A 7B 4-SP243610		1.128	1-1/4	
A 7B 4-SP243612		1-1/2		
A 7B 4-SP243614		1-3/4		
A 7B 4-SP243616		2		
A 7B 4-SP244006		3/4		
A 7B 4-SP244008		1		
A 7B 4-SP244010	1.253	1-1/4		
A 7B 4-SP244012	1-1/2			
A 7B 4-SP263206	.815	1.003	3/4	
A 7B 4-SP263208			1	
A 7B 4-SP263210			1-1/4	
A 7B 4-SP263212			1-1/2	
A 7B 4-SP263214			1-3/4	
A 7B 4-SP263216		2		
A 7B 4-SP263408		1.065	1	
A 7B 4-SP263410		1-1/4		
A 7B 4-SP283206		.878	1.003	3/4
A 7B 4-SP283207				7/8
A 7B 4-SP283208	1			
A 7B 4-SP283210	1-1/4			
A 7B 4-SP283212	1-1/2			
A 7B 4-SP283214	1-3/4			
A 7B 4-SP283408	1.0655		1	
A 7B 4-SP283410	1.128		1-1/4	

Catalog Number	I.D. +.000 -.001	O.D. +.000 -.001	L* Length	
A 7B 4-SP283606	.878	1.128	3/4	
A 7B 4-SP283607			7/8	
A 7B 4-SP283608			1	
A 7B 4-SP283609			1-1/8	
A 7B 4-SP283610			1-1/4	
A 7B 4-SP283611			1-3/8	
A 7B 4-SP283612			1-1/2	
A 7B 4-SP283613			1-5/8	
A 7B 4-SP283614			1-3/4	
A 7B 4-SP283616			2	
A 7B 4-SP283618		2-1/4		
A 7B 4-SP283620		2-1/2		
A 7B 4-SP284006		3/4		
A 7B 4-SP284008		1		
A 7B 4-SP284010		1.253	1-1/4	
A 7B 4-SP284012		1-1/2		
A 7B 4-SP284016		2		
A 7B 4-SP303806		.940	1.190	3/4
A 7B 4-SP303808				1
A 7B 4-SP303810				1-1/4
A 7B 4-SP303812	1-1/2			
A 7B 4-SP303816	2			
A 7B 4-SP304006	3/4			
A 7B 4-SP304008	1			
A 7B 4-SP304010	1.254		1-1/4	
A 7B 4-SP304012	1-1/2			
A 7B 4-SP304014	1-3/4			
A 7B 4-SP304016	2			
A 7B 4-SP323606	1.004	1.128	3/4	
A 7B 4-SP323806			1.190	1
A 7B 4-SP323808		1/2		
A 7B 4-SP324004		1.254	1	
A 7B 4-SP324008			1-1/2	
A 7B 4-SP324012			1-3/4	
A 7B 4-SP324016			2	
A 7B 4-SP324020		2-1/2		

* Length Tolerance: up to & including 1-1/2" is ± .0050
over 1-1/2" is ± .0075

Continued from the previous page
and continued on the next page


- I
- R
- T
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

“S” SERIES

PHONE: 516.328.3300 • FAX: 516.326.8827 • WWW.SDP-SI.COM

► MATERIAL:

Oil-Impregnated Bronze, Self-Lubricating



INCH COMPONENT

Catalog Number	I.D. +0.000 -0.001	O.D. +0.000 -0.001	L* Length		
A 7B 4-SP324208	1.004	1.316	1		
A 7B 4-SP324210			1-1/4		
A 7B 4-SP324212			1-1/2		
A 7B 4-SP324214			1-3/4		
A 7B 4-SP324216			2		
A 7B 4-SP324220			2-1/2		
A 7B 4-SP324224		3			
A 7B 4-SP324406		1.379	3/4	3/4	
A 7B 4-SP324408				1	
A 7B 4-SP324410			1-1/4		
A 7B 4-SP324412			1-1/2		
A 7B 4-SP324414			1-3/4		
A 7B 4-SP324416			2		
A 7B 4-SP324420			2-1/2		
A 7B 4-SP324808			1.004	1.504	1
A 7B 4-SP324810					1-1/4
A 7B 4-SP324812	1-1/2				
A 7B 4-SP324814	1-3/4				
A 7B 4-SP324816	2				
A 7B 4-SP324820	2-1/2				
A 7B 4-SP324824	3				
A 7B 4-SP344208	1.065	1.316			1
A 7B 4-SP344212			1-1/2		
A 7B 4-SP344216			2		
A 7B 4-SP344220			2-1/2		
A 7B 4-SP364008			1.129	1.254	1
A 7B 4-SP364010					1-1/4
A 7B 4-SP364012	1-1/2				
A 7B 4-SP364208	1				
A 7B 4-SP364210	1-1/4				
A 7B 4-SP364212	1-1/2				
A 7B 4-SP364214	1-3/4				
A 7B 4-SP364216	2				
A 7B 4-SP364406	3/4				
A 7B 4-SP364408	1				
A 7B 4-SP364410	1.379	1.316	1-1/4		
A 7B 4-SP364412			1-1/2		
A 7B 4-SP364414			1-3/4		
A 7B 4-SP364416			2		

Catalog Number	I.D. +0.000 -0.001	O.D. +0.000 -0.001	L* Length	
A 7B 4-SP364420	1.129	1.379	2-1/2	
A 7B 4-SP364424			3	
A 7B 4-SP364808			1.504	1
A 7B 4-SP364810				1-1/4
A 7B 4-SP364812				1-1/2
A 7B 4-SP364814		1-3/4		
A 7B 4-SP364816		2		
A 7B 4-SP364820		1.192	1.441	2-1/2
A 7B 4-SP384610				1-1/4
A 7B 4-SP384612				1-1/2
A 7B 4-SP384616	2			
A 7B 4-SP384620	2-1/2			
A 7B 4-SP384624	3			
A 7B 4-SP384808	1.004		1.504	1
A 7B 4-SP384810				1-1/4
A 7B 4-SP384812				1-1/2
A 7B 4-SP384814				1-3/4
A 7B 4-SP384816		2		
A 7B 4-SP384820		2-1/2		
A 7B 4-SP384824		3		
A 7B 4-SP404804		1.254		Δ1.566
A 7B 4-SP404805	5/8			
A 7B 4-SP404806	3/4			
A 7B 4-SP404807	7/8			
A 7B 4-SP404808	1			
A 7B 4-SP404809	1-1/8			
A 7B 4-SP404810	1-1/4			
A 7B 4-SP404811	1-3/8			
A 7B 4-SP404812	1-1/2			
A 7B 4-SP404813	1-5/8			
A 7B 4-SP404814	1-3/4			
A 7B 4-SP404815	1-7/8			
A 7B 4-SP404816	2			
A 7B 4-SP404818	2-1/4			
A 7B 4-SP404820	2-1/2			
A 7B 4-SP404824	3			
A 7B 4-SP405008	1			
A 7B 4-SP405012	1-1/2			
A 7B 4-SP405016	2			

* Length Tolerance: up to & including 1-1/2" is ± .0050
over 1-1/2" is ± .0075
Δ O.D. Tolerance: +.000 / -.0015

Continued from the previous page
and continued on the next page


- I
- R
- T
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

“S” SERIES

PHONE: 516.328.3300 • FAX: 516.326.8827 • WWW.SDP-SI.COM

► MATERIAL:

Oil-Impregnated Bronze, Self-Lubricating



INCH COMPONENT

Catalog Number	I.D. +0.000 -0.001	O.D. +0.000 -0.0015	L* Length	
A 7B 4-SP405208	1.254	1.629	1	
A 7B 4-SP405210			1-1/4	
A 7B 4-SP405212			1-1/2	
A 7B 4-SP405214			1-3/4	
A 7B 4-SP405216			2	
A 7B 4-SP405220			2-1/2	
A 7B 4-SP405224		3		
A 7B 4-SP405612		1.754	1.754	1-1/2
A 7B 4-SP405614				1-3/4
A 7B 4-SP405616				2
A 7B 4-SP405620				2-1/2
A 7B 4-SP405624		3		
A 7B 4-SP424808		1.316	1.566	1
A 7B 4-SP424812				1-1/2
A 7B 4-SP424816				2
A 7B 4-SP425210				1-1/4
A 7B 4-SP425212	1-1/2			
A 7B 4-SP425216	2			
A 7B 4-SP425220	2-1/2			
A 7B 4-SP425224	3			
A 7B 4-SP445208	1.379		1.629	1
A 7B 4-SP445209				1-1/8
A 7B 4-SP445210				1-1/4
A 7B 4-SP445212				1-1/2
A 7B 4-SP445216		2		
A 7B 4-SP445220		2-1/2		
A 7B 4-SP445224		3		
A 7B 4-SP445608		1.754	1.754	1
A 7B 4-SP445612				1-1/2
A 7B 4-SP445616				2
A 7B 4-SP445620	2-1/2			
A 7B 4-SP445624	3			
A 7B 4-SP465208	1			
A 7B 4-SP465212	1-1/2			
A 7B 4-SP465216	2			
A 7B 4-SP465606	1.442	1.629	3/4	
A 7B 4-SP465608			1	
A 7B 4-SP465610			1-1/4	
A 7B 4-SP465612			1-1/2	
A 7B 4-SP465614		1-3/4		
A 7B 4-SP465616		2		
A 7B 4-SP506010		1.879	1.879	1-1/2
A 7B 4-SP506012				1-3/4
A 7B 4-SP506016	2			
A 7B 4-SP506018	2-1/4			
A 7B 4-SP506020	Δ1.629	2.004	2-1/2	
A 7B 4-SP506024			3	
A 7B 4-SP506408			1	
A 7B 4-SP506412			1-1/2	
A 7B 4-SP506414		1-3/4		
A 7B 4-SP506416		2		
A 7B 4-SP506420		2-1/2		
A 7B 4-SP506424		3		

Catalog Number	I.D. +0.000 -0.001	O.D. +0.0000 -0.0015	L* Length		
A 7B 4-SP465620	1.442	1.754	2-1/2		
A 7B 4-SP465624			3		
A 7B 4-SP485604			1/2		
A 7B 4-SP485606			3/4		
A 7B 4-SP485608			1		
A 7B 4-SP485610			1-1/4		
A 7B 4-SP485611			1-3/8		
A 7B 4-SP485612			1-1/2		
A 7B 4-SP485614		1-3/4			
A 7B 4-SP485616		2			
A 7B 4-SP485618		2-1/4			
A 7B 4-SP485620		2-1/2			
A 7B 4-SP485624		3			
A 7B 4-SP485808		1.504	1.816	1	
A 7B 4-SP485812				1-1/2	
A 7B 4-SP485813				1-5/8	
A 7B 4-SP485816	2				
A 7B 4-SP485824	3				
A 7B 4-SP486012	1.879		1.879	1-1/2	
A 7B 4-SP486016				2	
A 7B 4-SP486020				2-1/2	
A 7B 4-SP486022				2-3/4	
A 7B 4-SP486024				3	
A 7B 4-SP486408		1			
A 7B 4-SP486412	2.004	2.004	1-1/2		
A 7B 4-SP486416			2		
A 7B 4-SP486420			2-1/2		
A 7B 4-SP486424			3		
A 7B 4-SP486428			3-1/2		
A 7B 4-SP506010			1.879	1.879	1-1/4
A 7B 4-SP506012					1-1/2
A 7B 4-SP506014					1-3/4
A 7B 4-SP506016	2				
A 7B 4-SP506018	2-1/4				
A 7B 4-SP506020	2-1/2				
A 7B 4-SP506024	3				
A 7B 4-SP506408	2.004	2.004			1
A 7B 4-SP506412			1-1/2		
A 7B 4-SP506414			1-3/4		
A 7B 4-SP506416			2		
A 7B 4-SP506420	2-1/2				
A 7B 4-SP506424	3				

* Length Tolerance: up to & including 1-1/2" is ± .0050
 over 1-1/2" is ± .0075
 over 3" is ± .0100

Δ I.D. Tolerance: +.000 / -.0015


Continued from the previous page
 and continued on the next page

“S” SERIES

PHONE: 516.328.3300 • FAX: 516.326.8827 • WWW.SDP-SI.COM

► MATERIAL:

Oil-Impregnated Bronze, Self-Lubricating



INCH COMPONENT

Catalog Number	I.D. Δ	O.D. Δ	L* Length		
A 7B 4-SP526814	1.6915	2.1925	1-3/4		
A 7B 4-SP526816			2		
A 7B 4-SP526824			3		
A 7B 4-SP526832			4		
A 7B 4-SP546408	1.754	2.004	1		
A 7B 4-SP546410			1-1/4		
A 7B 4-SP546412			1-1/2		
A 7B 4-SP546414			1-3/4		
A 7B 4-SP546416			2		
A 7B 4-SP546420			2-1/2		
A 7B 4-SP546424			3		
A 7B 4-SP546811			2.129	2.004	1-3/8
A 7B 4-SP546812					1-1/2
A 7B 4-SP546816					2
A 7B 4-SP546824					3
A 7B 4-SP566820					1.940
A 7B 4-SP567416	2				
A 7B 4-SP567420	1.9405	2.3165	2-1/2		
A 7B 4-SP567424			3		
A 7B 4-SP567432			4		
A 7B 4-SP587208			2.004	2.254	1
A 7B 4-SP587212	1-1/2				
A 7B 4-SP587216	2				
A 7B 4-SP587220	2-1/2				
A 7B 4-SP587224	3				
A 7B 4-SP587612	1-1/2				
A 7B 4-SP587614	1-3/4				
A 7B 4-SP587616	2				
A 7B 4-SP587620	2-1/2				
A 7B 4-SP587622	2-3/4				
A 7B 4-SP587624	3				
A 7B 4-SP587628	3-1/2				
A 7B 4-SP587632	4				
A 7B 4-SP587808	1				
A 7B 4-SP587812	2.505	2.004			1-1/2
A 7B 4-SP587816					2

Catalog Number	I.D. Δ	O.D. Δ	L* Length		
A 7B 4-SP587820	2.004	2.505	2-1/2		
A 7B 4-SP587824			3		
A 7B 4-SP587828			3-1/2		
A 7B 4-SP587832			4		
A 7B 4-SP608016	2.254	2.630	2		
A 7B 4-SP608020			2-1/2		
A 7B 4-SP608024			3		
A 7B 4-SP608216			2		
A 7B 4-SP608224			3		
A 7B 4-SP628216			2.379	2.755	2
A 7B 4-SP628220	2-1/2				
A 7B 4-SP628224	3				
A 7B 4-SP648216	2.754	2.754			2
A 7B 4-SP648220			2-1/2		
A 7B 4-SP648224			3		
A 7B 4-SP648232			2.504	2.880	2
A 7B 4-SP648418					4
A 7B 4-SP648420					2-1/2
A 7B 4-SP648424	3				
A 7B 4-SP648616	2.754	3.005	2		
A 7B 4-SP648624			3		
A 7B 4-SP648632			4		
A 7B 4-SP668612			2.754	3.255	1-1/2
A 7B 4-SP668620					2-1/2
A 7B 4-SP668816					2
A 7B 4-SP668824	3				
A 7B 4-SP668832	3.005	3.505	4		
A 7B 4-SP688816			2		
A 7B 4-SP688824			3		
A 7B 4-SP689016			2		
A 7B 4-SP689020			3.505	4.006	2-1/2
A 7B 4-SP689024					3
A 7B 4-SP689032	4				
A 7B 4-SP709224	3				
A 7B 4-SP709228	3.505	4.006	3-1/2		
A 7B 4-SP709232			4		
A 7B 4-SP729232	4.0035	4.504	4		

* Length Tolerance: up to & including 1-1/2" is ± .0050
 over 1-1/2" & including 3" is ± .0075
 over 3" is ± .0100
 Δ I.D. & O.D. Tolerance: up to & including 2-1/2" is +.0000 / -.0015
 over 2-1/2" & including 3-1/2" is +.0000 / -.0020
 over 3-1/2" is +.0000 / -.0025

Continued from the previous page

